



- ▶ Max. output: 40 x 120 ml cups per hour
- ▶ Grounds container capacity: Approx. 35 cups



- ▶ 23 preset programs, individual write-over possible
- ▶ Cup counter
- ▶ Hot water function
- ▶ Hot milk function
- ▶ Decalcification signal



- ▶ Height-adjustable spout



- ▶ Milk frother



- ▶ For use via a fixed water connection and water tank

✓ Contents: 6 L, detachable

- ▶ Also suitable for high levels of use

With up to 23 individually programmable coffee variations, a fixed water connection and a 6-litre water tank, the clever version of the KV1 offers maximum coffee enjoyment with simple, intuitive touch operation. In combination with the elegant design, the individually playable 7-inch advertising display automatically invites you to enjoy a freshly brewed espresso, cappuccino, latte macchiato and more.

• Brewing group(s):	1	• ON/OFF switch:	Yes
• Minimum brewing quantity:	25 ml	• Power load:	2,7 kW 230 V 50/60 Hz
• Designed for:	80 cups / day	• Control lamp:	-
• Warm-keeping function:	No	• Filling level display:	yes
• Decalcification signal:	Yes	• Setting possibilities:	5 grinding levels
• Control unit:	Touch		Coffee dosing
• Water connection:	Fixed connection to water supply 1/2"		Water quantity
• Water tank capacity:	6 litre(s)		Water temperature
• Content bean container:	1000 g		Water quantity
• Detachable water tank:	Yes	• Water supply:	Video display
• Automatic turn-off:	Yes		3 options
• Hot water function:	Yes		Water tank
• Hot milk function:	Yes		Fixed connection to water supply
• Grinding mechanism:	Cone grinder	• Milk supply:	Water supply via external container
• Grinder material:	Steel	• Programs:	External via tube
• Pressure system:	Piston pressure		23, preset, individual write-over possible
• Pump pressure:	19 bar		Programming password protected
• Milk frother:	Yes		110 - 165 mm
• USB connection:	Yes	• Height-adjustable outlet:	
• Cleaning program:	Yes	• Operating system:	Android
• Residues container capacity:	Approx. 35 cups	• Video display:	Individual playable via USB
• Residues container dishwasher-suitable:	Yes		Up to 10 videos can be saved
• Ground coffee option:	-		During coffee preparation and during breaks
• Multi cups:	Yes		1 video can be selected for all processes
• Material:	Plastic	• Display:	Programs
• Design:	Complete machine		Status

Coffee machine KV1 Comfort

Add on Products

Dregs ejector chute KV1



- Designed for: Bartscher coffee machine KV1
The dregs are disposed of directly into the waste bin
- Material: Plastic
- Important information: -
- Size: W 80 x D 155 x H 160 mm
- Weight: 0.09 kg

Code-No. 190060
GTIN 4015613735658

Water drain hose KV1



- Designed for: Bartscher coffee machine KV1
- Length: 1,5 m
- Properties: Can be used with the dregs container and ejector chute KV1
- Material: Rubber (NBR)
- Important information: -
- Size: W 35 x D 1,500 x H 40 mm
- Weight: 0.37 kg

Code-No. 190068
GTIN 4015613735696

Milk refrigerator KV6L



- Thermostat: No
- Interior lighting: Yes
- Temperature control: Electronic
In 1 °C steps
- Content: 6 litre(s)
- Door hinge side: Right
- Automatic defrosting function: Yes
- Ambient temperature: to 25 °C
- Properties: Designed for 3 x 1 litre Tetra Pak®, for example

Code-No. 190076
GTIN 4015613736310

Cup warmer TA720



- Power load: 0,14 kW | 230 V | 50/60 Hz
- Capacity cups max.: 72
- Material: Stainless steel
- Important information: -
- ON/OFF switch: Yes
- Temperature range to: 60 °C
- Properties: With worktop surface, dimensions: W 250 x D 250 mm
- Size utility space: W 280 x D 295 mm
- Height inside, each: 175 mm
- Size: W 320 x D 345 x H 550 mm

Code-No. 103076
GTIN 4015613708867

Coffee machine KV1 Comfort

Add on Products

Cup warmer T160



- Diameter cups max.: 90 mm
- Power load: 0,11 kW | 220-240 V | 50/60 Hz
- Temperature range: 47 °C to 52 °C
- ON/OFF switch: Yes
- Capacity cups max.: 16
- Material: Aluminium
Plastic
- Important information: -
- Size Cupholder: Ø 95 mm | Height: 300 mm
- Properties: Heating: PTC heating
- Size: W 290 x D 210 x H 350 mm

Code-No. 103048
GTIN 4015613672250

Cups warmer 48 cups, SS



- Diameter cups max.: 90 mm
- Power load: 0,2 kW | 230 V | 50 Hz
- Temperature range: 30 °C to 45 °C
- ON/OFF switch: Yes
- Properties: 4 containers for teaspoons, detachable
With rotating base
- Capacity cups max.: 48
- Important information: -
- Material: Aluminium
- Size Cupholder: Ø 95 mm | Height: 300 mm
- Size: W 360 x D 360 x H 415 mm

Code-No. 103067
GTIN 4015613469218

Partial desalination system TKD 13400 FB



- Desalination type: Partial desalination
- : Yes
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit
- Output capacity: 13,400 litres / cartridge at 10° d (carbonate hardness)
- Designed for: Combined steamer and ice cube makers
- Material: Plastic
Glass-fibre reinforced
- Important information: -

Code-No. 109878
GTIN 4015613681597

Water filter system K1600 EW



- Water connection: 1/2"
- Water pressure: 1.5 - 6 bar
- Output capacity: 1,600 litres / at 10° KH (carbonate hardness)
- Designed for: Coffee machines
- Water intake temperature from: 5 °C
- Water intake temperature to: 30 °C
- Including: -
- Material: Plastic
- Important information: -
- Design: Disposable system
For horizontal and vertical installation

Code-No. 109881
GTIN 4015613630731

Coffee machine KV1 Comfort

Add on Products

Descaler F1L, set of 2



- Designed for: Small appliances such as kettles and coffee machines etc.
- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 1,0
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: No

Code-No. 173075
GTIN 4015613731889